L Number	Hits	Search Text	DB	Time stamp
40	2772	((385/14) or (385/15) or (385/31)).CCLS.	USPAT	2003/07/21 13:36
41	780	((385/14) or (385/15) or (385/31)).CCLS.	US-PGPUB	2003/07/21 13:36
43	3552	(((385/14) or (385/15) or (385/31)).CCLS.) or ((385/14) or (385/15) or (385/31)).CCLS.)	USPAT; US-PGPUB	2003/07/21 13:38
44	90	(((385/14) or (385/15) or (385/31)).CCLS.) or (((385/14) or (385/15) or (385/31)).CCLS.) and (temperature near2 (sensor or sensors))	USPAT; US-PGPUB	2003/07/21 13:38
45	59	(((((385/14) or (385/15) or (385/31)).CCLS.) or ((385/14) or (385/15) or (385/31)).CCLS.) and (temperature near2 (sensor or sensors))) and (laser)	USPAT; US-PGPUB	2003/07/21 13:39
46	687	(semiconductor near2 (laser)) and (temperature near2 (sensor))	US-PGPUB	2003/07/21 13:41
47	23	(semiconductor near2 (laser)).ti. and (temperature near2 (sensor))	USPAT	2003/07/21 13:45
50	0	(semiconductor near2 (laser)).ti. and (temperature near2 (sensor))	USPAT	2003/07/21 13:45
48	10	(semiconductor near2 (laser)).ti. and (temperature near2 (sensor))	USOCR	2003/07/21 13:45
49	76	(semiconductor near2 (laser)).ti. and (temperature near2 (sensor))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 14:04
51	1	("4338577").PN.	USPAT	2003/07/21 14:04
52	0	(("4338577").PN.) and (angstroms or millimeters or mm)	USPAT	2003/07/21 14:05
53	0	(("4338577").PN.) and (angstroms or microns)	USPAT	2003/07/21 14:08
54	1	("4884279").PN.	USPAT	2003/07/21 14:08
55	0	(("4884279").PN.) and (angstroms or microns or mm)	USPAT	2003/07/21 15:05
56	0	(("4338577").PN.) and (length or width or depth or dimensions)	USPAT	2003/07/21 15:05
57	0	(("4884279").PN.) and (length or width or depth or dimensions)	USPAT	2003/07/21 15:05
58	0	(("4884279").PN.) and (distance or away or apart or separation)	USPAT	2003/07/21 15:06
59	0	(("4338577").PN.) and (distance or away or apart or separation)	USPAT	2003/07/21 15:06
60	53	"4338577"	USPAT	2003/07/21 15:06
61	15	"4338577" and (thermistor)	USPAT	2003/07/21 15:06
62	14	"4338577" and (temperature near2 (sensor))	USPAT	2003/07/21 15:06
63	21	("4338577" and (thermistor)) or ("4338577" and (temperature near2 (sensor)))	USPAT	2003/07/21 15:07
65	9	"4884279"	USPAT	2003/07/21 15:14
64	16	(("4338577" and (thermistor)) or ("4338577" and (temperature near2 (sensor)))) and (distance or width or length or wide or long or dimensions or separation or angstroms or microns or mm)	USPAT	2003/07/21 15:22
66	6	"4884279" and (distance or width or length or wide or long or dimensions or separation or angstroms or microns or mm)	USPAT	2003/07/21 15:15
67	5	"4884279" and (distance or width or length or wide or long or dimensions or separation or angstroms or microns or mm) not (("4338577" and (thermistor)) or ("4338577" and (temperature near2 (sensor)))) and (distance or width or length or wide or long or dimensions or separation or angstroms or microns or mm))	USPAT	2003/07/21 15:24
68	0	(typical near6 "mm") with (laser near2 (module or package or chip))	USPAT	2003/07/21 15:25
69	1	(typical near6 "mm") with (laser near2 (module or package or chip))	US-PGPUB	2003/07/21 15:28
70	1	(typical near6 dimensions) with (laser near2 (module or package or chip))	US-PGPUB	2003/07/21 15:28
71	2	(typical near6 dimensions) with (laser near2 (module or package or chip))	USPAT	2003/07/21 15:30
72	2	(typical near6 dimensions) with (laser near3 (module or package or chip))	USPAT	2003/07/21 15:33
73	0	(typical near6 dimensions) with (laser near6 (package or packages or module or modules))	USPAT	2003/07/21 15:33
74	0	(typical near6 length) with (laser near6 (package or packages or module or modules))	USPAT	2003/07/21 15:33
75	0	(typical near6 inches) with (laser near6 (package or packages or module or modules))	USPAT	2003/07/21 15:34
76	0	(typical near6 "mm") with (laser near6 (package or packages or module or modules))	USPAT	2003/07/21 15:34

77	0	(typical near6 microns) with (laser near6 (package or packages or module or modules))	USPAT	2003/07/21 15:34
79	435	(inches or microns or "mm" or angstroms) same (laser near6 (package or module or modules))	USPAT	2003/07/21 15:34
78	119	(inches or microns or "mm" or angstroms) with (laser near6 (package or packages or module or modules))	USPAT	2003/07/21 17:03
80	2	(("4338577") or ("484279")).PN.	USPAT	2003/07/21 17:03
-	0	10/085,178	US-PGPUB	2003/07/17 15:10
-	4171	((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.	USPAT	2003/07/17 15:13
-	1867	((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.	USPAT	2003/07/17 15:13
-	50	(((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) and (temperature near2 (sensor or sensors))	USPAT	2003/07/17 15:14
-	31	(((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (sensor or sensors))	USPAT	2003/07/17 15:13
-	25	(((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (monitor or monitors or monitored or monitoring))	USPAT	2003/07/17 15:14
-	16	(((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (sense or sensed or sensing or senses))	USPAT	2003/07/17 15:13
-	32	(((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) and (temperature near2 (monitor or monitors or monitored or monitoring))	USPAT	2003/07/17 15:14
-	15	(((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) and (temperature near2 (sense or sensed or sensing or senses))	USPAT	2003/07/17 15:13
-	129	(((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) and (temperature near2 (sensor or sensors)) or ((((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (monitor or monitors or monitored or monitoring)) or ((((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (sense or sensed or sensing or senses)) or ((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) and (temperature near2 (monitor or monitors or monitored or monitoring))) or ((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) and (temperature near2 (sense or sensed or sensing or senses)))	USPAT	2003/07/17 15:36
-	569	((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.	US-PGPUB	2003/07/17 15:13
-	444	((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.	US-PGPUB	2003/07/17 15:13
-	1007	(((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) or (((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.)	US-PGPUB	2003/07/17 15:14
-	27	(((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) or (((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (sensor or sensors))	US-PGPUB	2003/07/17 15:14

	Query	DB	Date
11	(((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) or ((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (monitor or monitors or monitored or monitoring))	US-PGPUB	2003/07/17 15:14
11	(((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) or ((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (monitor or monitors or monitored or monitoring))	US-PGPUB	2003/07/17 15:14
31	(((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) or ((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (sensor or sensors))) or ((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) or ((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (monitor or monitors or monitored or monitoring))	US-PGPUB	2003/07/17 15:14
16	(((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) or ((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (sensor or sensors))) or ((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) or ((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (monitor or monitors or monitored or monitoring))) or ((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) and (temperature near2 (sense or sensed or sensing or senses))) and offset	USPAT	2003/07/17 15:33
2	(((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) or ((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (sensor or sensors))) or ((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) or ((385/88) or (385/89) or (385/90) or (385/91) or (385/92) or (385/93) or (385/94)).CCLS.) and (temperature near2 (monitor or monitors or monitored or monitoring))) or ((((372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.) and (temperature near2 (sense or sensed or sensing or senses))) and ((sensor or sensors or thermistor or thermistors) near6 (mm))	USPAT	2003/07/17 15:37